

emballator

PACKAGING SOLUTIONS FOR FUTURE GENERATIONS

Product brochure



Content

Emsafe	4
Emsafe 2,2 l. ø197	5
Emsafe 2,3 l. ø197	6
Emsafe 3,2 l. ø197	7
Emsafe 3,4 l. ø197	8
Emsafe 5,0 l. ø224	9
Emsafe 5,6 l. ø224	10
Emsafe 5,9 l. ø224	11
Emsafe 6,2 l. ø224	12
Emsafe 8,4 l. ø269	13
Emsafe 11,2 l. ø269	14
Emsafe 9,6 l. ø292	15
Emsafe 11,6 l. ø292	16
Emsafe 12,2 l. ø292	17
Emsafe 14,4 l. ø292	18
Emsafe 16,0 l. ø292	19
Emsafe Rectangular	20
Emsafe rect. 5,8 l.	21
Emsafe rect. 12,5 l.	22
Emsafe rekt. 17,0 l.	23
Emsafe Oval	24
Emsafe oval 4,8 l.	25
Emsafe oval 11,6 l.	26
Ergopac	27
Ergopac 1,5 l. ø160	28
Ergopac 2,1 l. ø160	29
Ergopac 16,0 l. ø297	30
Ergopac 21,1 l. ø297	31
Ergopac 32,0 l. ø378	32
Emplus	33
Emplus 1200	34
Emplus 1450	35
Emplus 1800	36
Emplus 2000	37
Emsafe pot	38
Emsafe 1150 ml. ø132	39
Emsafe 1100 ml. ø160	40
Embra rectangular	41
Embra 800 ml. rect.	42
Embra 1100 ml. rect.	43
Ergopac Light	44
Ergopac Light 1100 ml. ø160	45
Ergopac Light 1500 ml. ø160	46
Emsens	47
Emsens 245 ml. ø93	48
Emsens 485 ml. ø123	49

Content

Handy-Safe ø92	50
Handy-Safe 150 ml. ø92	51
Handy-Safe 180 ml. ø92	52
Handy-Safe 250 ml. ø92	53
Handy-Safe 280 ml. ø92	54
Handy-Safe 370 ml. ø92	55
Handy-Safe 385 ml. ø92	56
Handy-Safe 420 ml. ø92	57
Handy-Safe 450 ml. ø92	58
Handy-Safe 520 ml. ø95	59
Handy-Safe ø122	60
Handy-Safe 300 ml. ø122	61
Handy-Safe 330 ml. ø122	62
Handy-Safe 390 ml. ø122	63
Handy-Safe 500 ml. ø122	64
Handy-Safe 560 ml. ø122	65
Handy-Safe 650 ml. ø122	66
Handy-Safe 800 ml. ø122	67
Handy-Safe ø132	68
Handy-Safe 500 ml. ø132	69
Handy-Safe 800 ml. ø132	70
Handy-Safe 1170 ml. ø132	71
Handy-Safe 1500 ml. ø132	72
BP1-serien 185x185 sq	73
BP1 5800 ml. sq 185	74
BP3-serien 245x185 rectangular	75
BP3 1400 ml. rect. 245x185	76
BP3 2000 ml. rect. 245x185	77
BP3 3000 ml. rect. 245x185	78
BP5-serien 185x125 rectangular	79
BP5 800 ml. rect. 185x125	80
BP5 1300 ml. rect. 185x125	81
BP7-serien ø155 + ø180	82
BP7 800 ml. ø155	83
BP7 1000 ml. ø180	84
BP7 1450 ml. ø180	85
BP7 2000 ml. ø180	86
BP8-serien 185x185sq	87
BP8 1500 ml. sq. 185	88
BP8 2000 ml. sq. 185	89
BP8 3000 ml. sq. 185	90
BP9-serien 185x125 + 188x125 rectangular	91
BP9 650 ml. rectangular	92
BP9 1100 ml. rectangular	93
BP9 1200 ml. rectangular	94
BP9 1400 ml. rectangular	95

Emsafe



Emsafe meets the highest demands on impenetrability, product safety and functionality. The pail and lid is thoroughly engineered and provided with detailed surface finish. A patented seal that makes it very easy to open simultaneously provides tamper evidence functionality. The inset makes a beautiful design and results in a free surface that can be fully used for décor. Pail and lid are made out of polypropylene, which is treated with an antistatic agent and approved according to food regulations. The Emsafe series is state of the art according to the regulations of minimization of weight and at the same time optimizing the performance.

Technical information

Name	Diameter [mm]	Bottom diameter [mm]	Height [mm]
Emsafe 2,2 l. ø197	197	97	79
Emsafe 2,3 l. ø197	197	106	82
Emsafe 3,2 l. ø197	197	142	103
Emsafe 3,4 l. ø197	197	156	111
Emsafe 5,0 l. ø224	224	177	155
Emsafe 5,6 l. ø224	224	201	178
Emsafe 5,9 l. ø224	224	202	156
Emsafe 6,2 l. ø224	224	181	229,5
Emsafe 8,4 l. ø269	269	194	232
Emsafe 11,2 l. ø269	269	261	294
Emsafe 9,6 l. ø292	292	191	282
Emsafe 11,6 l. ø292	292	228	330
Emsafe 12,2 l. ø292	292	240	337
Emsafe 14,4 l. ø292	292	243	409
Emsafe 16,0 l. ø292	292	253	312

Market segments



Food



Paint



Chemical



Pharmaceuticals

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Emsafe 2,2 l. ø197



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 2,2 l. ø197	197	97	75	4,4		5	OFFSET


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø197 ES	194	27	98	90	2,1	OFFSET/IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	960	1320
Standard pallet for Pail	1248	1330
Standard pallet for Lid [ES]	2 592	595

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Emsafe 2,3 l. ø197



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 2,3 l. ø197	197	106	80	2,5		5	OFFSET/IML


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø197 ES	194	27	107	99	2,3	OFFSET/IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Intergrated pallet [pail+lid]	960	1 320
Standard pallet for Pail	1 152	1 330
Standard pallet for Lid [ES]	2 592	595

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Emsafe 3,2 l. ø197



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 3,2 l. ø197	197	142	102	3,4	21,5	5	OFFSET/IML


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø197 ES	194	27	157	149	3,5	OFFSET/IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	960	1 280
Standard pallet for Pail	1 056	1 180
Standard pallet for Lid [ES]	2 592	595

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Emsafe 3,4 l. ø197



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 3,4 l. ø197	197	156	111	3,6	21,5	5	OFFSET/IML


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø197 ES	194	27	157	149	3,5	OFFSET/IML
Emsafe ø197 ESS	194	29	162	158	3,6	
ø197 EST	197	82	157	149	3,4	OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pail	1 056	1 210
Standard pallet for Lid [ES]	2 592	595
Standard pallet for Lid [ESS]	2 736	730
Standard pallet for Lid [EST]	2 464	730

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Emsafe 5,0 l. ø224



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 5,0 l. ø224	224	177	155	5,3	24	5	OFFSET/IML


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø224 ES	222	37	178	169	5,0	OFFSET/IML
Emsafe ø224 ESH	222	43	178	163	4,8	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	576	1 280
Standard pallet for Pail	756	1 310
Standard pallet for Lid [ES]	2 196	730
Standard pallet for Lid [ESH]	2 196	730

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Emsafe 5,6 l. ø224



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 5,6 l. ø224	224	201	178	5,9	24	5	OFFSET/IML


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø224 ES	222	37	202	193	5,6	IML
Emsafe ø224 ESH	222	41	202	187	5,4	
Emsafe ø224 ESS+	222	44	230,5	448	6,2	IML

Delivery

Pallet pattern

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Intergrated pallet [pail+lid]	576	1 280
Standard pallet for Pail	756	1 310
Standard pallet for Lid [ES]	4 392	1 330
Standard pallet for Lid [ESH]	4 392	1 330
Standard pallet for Lid [ESS+]	3 672	1 330



For more information and product data sheets, please scan this code or visit our website.

Emsafe 5,9 l. ø224



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 5,9 l. ø224	224	202	156	6,1		5	OFFSET


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø224 ES	222	37	203	193	5,8	IML
Emsafe ø224 ESH	222	43	203	187	5,6	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Intergrated pallet [pail+lid]	576	1 330
Standard pallet for Pail	756	1 330
Standard pallet for Lid [ES]	2 196	730
Standard pallet for Lid [ESH]	2 196	730

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Emsafe 6,2 l ø224



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 6,2 l. ø224	224	229,5	190	6,7	24	5	IML


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø224 ES	222	37	230,5	444	6,4	IML
Emsafe ø224 ESH	222	41	230,5	446	6,2	
Emsafe ø224 ESS+	222	44	230,5	448	6,2	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pail	720	1 330
Standard pallet for Lid [ES]	4 392	1 330
Standard pallet for Lid [ESH]	4 392	1 330
Standard pallet for Lid [ESS+]	3 672	1 330

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Emsafe 8,4 l. ø269



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 8,4 l. ø269	269	194	232	8,9		10	OFFSET


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø269 ES	267	68	195	185	8,3	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	299	1 330
Standard pallet for Pail	416	1 330
Standard pallet for Lid [ES]	1 200	730

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Emsafe 11,2 l. ø269



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 11,2 l. ø269	269	261	294	11,6		10	OFFSET


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø269 ES	267	68	262	252	11,1	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	299	1 330
Standard pallet for Pail	390	1 330
Standard pallet for Lid [ES]	1 200	730

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Emsafe 9,6 l. ø292



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 9,6 l. ø292	296	191	282	10,2		11	OFFSET


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø292 ESH	290	85	192	177	9,3	
ø292 EST	292	209	193	186	10,1	OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Intergrated pallet [pail+lid]	264	1 300
Standard pallet for Pail	352	1 290
Standard pallet for Lid [ESH]	1 056	730
Standard pallet for Lid [EST]	810	730

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Emsafe 11,6 l | ø292



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 11,6 l. ø292	292	228	330	12,3	45	11	OFFSET/IML


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø292 ES	290	80	229	218	11,6	
Emsafe ø292 ESH	290	85	229	214	11,3	
Emsafe ø292 ESS	290	85	229	214	11,3	
ø292 EST	292	209	229	222	12	OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	253	1330
Standard pallet for Pail	341	1330
Standard pallet for Lid [ES]	1023	730
Standard pallet for Lid [ESH]	1056	715
Standard pallet for Lid [ESS]	836	730
Standard pallet for Lid [EST]	810	730

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Emsafe 12,2 l ø292



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 12,2 l. ø292	292	240	352	12,8	45		OFFSET/IML


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø292 ES	290	80	241	230	12,2	
Emsafe ø292 ESH	290	85	241	226	12,1	
Emsafe ø292 ESS	290	85	241	226	12,1	
ø292 EST	292	209	243	236	12,65	OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Intergrated pallet [pail+lid]	242	1 250
Standard pallet for Pail	330	1 330
Standard pallet for Lid [ES]	1 023	730
Standard pallet for Lid [ESH]	1 056	715
Standard pallet for Lid [ESS]	836	730
Standard pallet for Lid [EST]	810	730

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Emsafe 14,4 l ø292



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 14,4 l. ø292	292	292	409	15,0	45		OFFSET/IML


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø292 ES	290	80	293	282	14,5	
Emsafe ø292 ESH	290	85	293	278	14,2	
ø292 EST	292	209	294	287	14,78	OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Intergrated pallet [pail+lid]	220	1 320
Standard pallet for Pail	308	1 320
Standard pallet for Lid [ES]	1 023	730
Standard pallet for Lid [ESH]	1 056	715
Standard pallet for Lid [EST]	810	730

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Emsafe 16,0 l ø292



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe 16,0 l. ø292	292	312	445	16,8	45	11	IML/Offset


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe ø292 ES	290	80	313	302	16,0	
Emsafe ø292 ESH	290	85	313	297	15,8	IML
Emsafe ø292 ESS	290	85	313	297	15,8	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pail	220	1 322
Standard pallet for Lid [ES]	1 023	730
Standard pallet for Lid [ESH]	1 056	715
Standard pallet for Lid [ESS]	836	730

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Emsafe Rectangular



Emsafe rectangular meets the highest demands on impenetrability, product safety and functionality. The pail and lid is thoroughly engineered and provided with detailed surface finish. A patented seal that makes it very easy to open simultaneously provides tamper evidence functionality. The packaging is advantageous for contents such as edible products and high-density chemicals e.g., paint and putty.

Technical information

Name	Dimension LxW [mm]	Bottom diameter [mm]	Height [mm]
Emsafe rect. 5,8 l.	294x198		149
Emsafe rect. 12,5 l.	380x240		197
Emsafe rect. 17,0 l.	380x286		220

Market segments



Food



Paint



Chemical

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Emsafe rect. 5,8 l.



Food



Paint



Chemical

Technical information

Pail

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe rect. 5,8 ESR	294x198	149	202	6,5	39		IML


Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe 294x198 ESR	294x198	64	150	137	6	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Intergrated pallet [pail+lid]	480	1 321
Standard pallet for Pail	608	1 335
Standard pallet for Lid	3 200	1 300

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Emsafe rect. 12,5 l.



Food



Paint



Chemical

Technical information

Pail

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe rect. 12,5 ESR	380x240	197	403	14,1	87		IML


Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe 380x240 ESR	380x240	105	198	186	13,0	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Intergrated pallet [pail+lid]	180	1330
Standard pallet for Pail	252	1320
Standard pallet for Lid	1520	1320

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Emsafe rect. 17,0 l.



Food



Paint



Chemical

Technical information

Pail

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe rect. 17,0 ESR	380x286	220	549	18,7	87		IML

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe 380x286 ESR	380x286	143	221	205	17,0	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	176	1330
Standard pallet for Pail	216	1330
Standard pallet for Lid	1184	1330

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Emsafe oval



An oval pail developed by demand from professional craftsmen which makes the packaging's center of gravity is closer to the body when carrying the product. The oval shape simplifies use with wide tools, for example rollers, which means that you will not have to use an extra container. The opening function is optimised as two tamper-evident seals have been placed on the same side, making the pail easy to open and reduces spill from the content.

This function is unique on the market.

Our products are made from Polypropylene, a plastic with high chemical resistance, good mechanical properties, and is a material well suited for recycle purposes.

Technical information

Name	Dimension LxW [mm]	Bottom diameter [mm]	Height [mm]
Emsafe oval 4,8 l.	304x190		140,5
Emsafe oval 11,6 l.	336x248		228

Market segments



Food



Paint



Chemical

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Emsafe oval. 4,8 l.



Food



Paint



Chemical

Technical information

Pail

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe oval. 4,8 ESO	304x190	140,5	176,5	5,3	26		IML


Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe 304x190 ESO	304x190	56	141,3	128	4,8	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	560	1 330
Standard pallet for Pail	704	1 330
Standard pallet for Lid	3 200	1 330

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Emsafe oval. 11,6 l.



Food



Paint



Chemical

Technical information

Pail

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE METAL [g]	HANDLE PLASTIC [g]	DECORATION
Emsafe oval. 11,6 ESO	336x248	228	348	12,5	49		IML


Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Emsafe 336x248 ESO	336x248	91	229	214	11,6	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pail	310	1 330
Standard pallet for Lid	740	730

Pallet pattern



For more information and product data sheets,
please scan this code or visit our website.

Ergopac



Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The pail can also be sealed with a membrane that prolongs the life of sensitive contents.

Pail and lid are made out of polypropylene, which is treated with an antistatic agent and approved according to food regulations. The production is highly automated and protected in order to comply with quality and hygienic demands

Technical information

Name	Diameter [mm]	Bottom diameter [mm]	Height [mm]
Ergopac 1,5 l. ø160	160		110
Ergopac 2,1 l. ø160	160		148
Ergopac 16,0 l. ø297	297		294
Ergopac 21,1 l. ø297	297		393
Ergopac 32,0 l. ø378	297		391

Market segments



Food



Paint



Chemical



Pharmaceuticals

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Ergopac 1,5 l. ø160



Food



Paint



Chemical

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Ergopac 1,5 l. ø160	160	110	59	1,7		5	OFFSET


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Ergopac ø160 L	161	18	111	103	1,55	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	836	1200
Standard pallet for Pail	1 064	1200
Standard pallet for Lid	2 356	645

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Ergopac 2,1 l. ø160



Food



Paint



Chemical

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Ergopac 2,1l. ø160	160	148	74	2,25		5	OFFSET


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Ergopac ø160 L	161	18	149	141	2,1	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Intergrated pallet [pail+lid]	836	1200
Standard pallet for Pail	1 064	1200
Standard pallet for Lid	2 356	645

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Ergopac 16,0 l. ø297



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Ergopac 16,0 l. ø297	297	294	440	16,6	45		OFFSET


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Ergoac ø297 EK	302	102	295	284	16,0	
Ergoac ø297 L	302	91	296,5	285,5	16,0	
Ergoac ø297 M	302	88	302	294,5	16,6	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	132	1 200
Standard pallet for Pail	154	1 200
Standard pallet for Lid [EK]	594	730
Standard pallet for Lid [L]	594	730
Standard pallet for Lid [M]	594	730

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Ergopac 21,1 l. ø297



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Ergopac 21,1 l. ø297	297	393	630	21,7	45		OFFSET


Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Ergoac ø297 EK	302	102	394	383	21,1	
Ergoac ø297 L	302	91	384,5	373,5	21,1	
Ergoac ø297 M	302	88	401	393,5	21,7	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Integrated pallet [pail+lid]	110	1 200
Standard pallet for Pail	132	1 200
Standard pallet for Lid [EK]	594	730
Standard pallet for Lid [L]	594	730
Standard pallet for Lid [M]	594	730

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Ergopac 32,0 l. ø378



Food



Paint



Chemical



Pharmaceuticals

Technical information

Pail

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [l]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Ergopac 32,0 l. ø387	380	391	980	33,5	100		OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [l]	DECORATION
Ergoac ø378 L	376	185	392	376	31,5	

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pail	120	1 450
Standard pallet for Lid	480	595

Pallet pattern



For more information and product data sheets, please scan this code or visit our website.

Emplus



This pot is thoroughly engineered and provided with detailed surface finish. A new improved seal makes it easy to open and simultaneously provide tamper evidence functionality. The packaging is suitable for cookies, confectionary and also for other food products. This pot can be decorated with label, offset and IML both on pot and lid. The product is made out of polypropylene, which is approved according to food regulations. The production is highly automated and protected in order to comply with quality and hygienic demands.

Technical information

Name	Diameter [mm]	Bottom diameter [mm]	Height [mm]
Emplus 1200 ml.	178		65
Emplus 1450 ml.	178		78
Emplus 1800 ml.	178		98
Emplus 2000 ml.	178		110

Market segments



Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Emplus 1200



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Emplus 1200	178	65	32	1400			OFFSET, IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Emplus ø178	178	17,9	66	61	1200	OFFSET, IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	2 580	1 283
Standard lid in container (2x) on pallet	8 160	1 320



For more information and product data sheets,
please scan this code or visit our website.

Emplus 1450



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Emplus 1450	178	78	38	1 650			OFFSET, IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Emplus ø178	178	17,9	79	74	1 450	OFFSET, IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	2 400	1 260
Standard lid in container (9x) on pallet	6 912	1 320



For more information and product data sheets, please scan this code or visit our website.

Emplus 1800



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Emplus 1800	178	95	43,5	1 800			IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Emplus ø178	178	17,9	99	186,3	1 800	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	2 460	1 300
Standard lid in container (9x) on pallet	6 912	1 320



For more information and product data sheets, please scan this code or visit our website.

Emplus 2000



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	HANDLE IRON [g]	HANDLE PLASTIC [g]	DECORATION
Emplus 2000	178	110	50	2 200			OFFSET, IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Emplus ø178	178	17,9	111	106	2 000	OFFSET, IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	2 400	1 320
Standard lid in container (9x) on pallet	6 912	1 320



For more information and product data sheets,
please scan this code or visit our website.

Emsafe



Emsafe pot meets the highest demands on impenetrability, product safety and functionality. The pot and lid is thoroughly engineered and provided with detailed surface finish. A patented seal that makes it very easy to open simultaneously provides tamper evidence functionality.

The packaging is advantageous for food and non-food products. Pot and lid are made out of polypropylene, which is treated with an antistatic agent and approved according to food regulations.

The Emsafe series is "state of the art" according to the regulations of minimization of weight and at the same time optimizing the performance.

Technical information

Name	Diameter [mm]	Bottom diameter [mm]	Height [mm]
Emsafe 1150 ml. ø132	131	105,2	125
Emsafe 1100 ml. ø160	160	78	47

Market segments



Food



Paint



Chemical

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Emsafe 1150 ml. ø132



Food



Paint



Chemical

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Emsafe 1150 ml. ø132	131	105,2	125	43	1 190	IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Emsafe ø132 ES	130	12	125,6	119,9	1 150	IML/OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (2x)	2 916	1 310
Standard pallet for Lid in container (12X)	13 824	1 330



For more information and product data sheets, please scan this code or visit our website.

Emsafe 1100 ml. ø160



Food



Paint



Chemical

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Emsafe 1100 ml. ø160	160		78	47	1,2	IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Emsafe ø160 ESV	158	17	79	71,5	1 100	OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	2 052	1 300
Standard pallet for Lid in container	4 104	610



For more information and product data sheets, please scan this code or visit our website.

Embra rectangular



Embra pot series meets the highest demands on impenetrability, product safety and functionality. The packaging is thoroughly engineered and provided with detailed surface finish. The pots make perfect match for confectionary and pastries. Pot and lid are made out of polypropylene, normally transparent, which is treated with an antistatic agent and approved according to food regulations.

Technical information

Name	Dimension LxW [mm]	Bottom diameter [mm]	Height [mm]
Embra 800 ml. rect.	192x128		52
Embra 1100 ml. rect.	192x128		71

Market segments



Food



Paint




Chemical

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Embra 800 ml. rectangular



Food



Paint



Chemical

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Embra 800 ml. rectangular	192X128	52	31	950	

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]	DECORATION
Embra rect. 192x128	189x126	14	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot (8x)	2 736	1 330
Standard pallet for Lid in container (12x)	12 312	1 026



For more information and product data sheets, please scan this code or visit our website.

Embra 1100 ml. rectangular



Food



Paint



Chemical

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Embra 1100 ml. rectangular	192X128	71	34	1275	

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]	DECORATION
Embra rect. 192x128	189x126	14	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot (12x)	2 448	1 330
Standard pallet for Lid in container (12x)	12 312	1 026



For more information and product data sheets, please scan this code or visit our website.

Ergopac Light



Ergopac Light is built around an ergonomic ideal that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pot provided with a lid that is easy to open and re-close. Ergopac is designed for EU pallets. Pot and lid are made out of polypropylene, which is treated with an antistatic agent and approved according to food regulations. The production is highly automated and protected in order to comply with quality and hygienic demands.

Technical information

Name	Diameter [mm]	Bottom diameter [mm]	Height [mm]
Ergopac Light 1100 ml. ø160	160		83,5
Ergopac Light 1500 ml. ø160	160		110

Market segments



Food



Paint



Chemical

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Ergopac Light 1100 ml. ø160



Food



Paint



Chemical

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Ergopac Light 1100 ml. ø160	160		83,5	45	1 250	OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Ergopac ø160L	161	18	84,5	76,5	1 100	OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container	2 584	1 450
Standard pallet for Lid in container	2 356	645



For more information and product data sheets, please scan this code or visit our website.

Ergopac Light 1500 ml. ø160



Food



Paint



Chemical

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Ergopac Light 1500 ml. ø160	160		110	54	1 700	OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Ergopac ø160L	161	18	111	103	1 550	OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	1 292	1 200
Standard pallet for Pot in container	1 748	1 450
Standard pallet for Lid in container	2 356	645



For more information and product data sheets, please scan this code or visit our website.

Emsense



Emsense is about 30 percent lighter compared to the replaced pot, and the pot including the lid has a total of over 30 percent less plastic.

Thanks to the reduction in plastic, Emsense also reduces the total CO2 footprint by around 30 percent during the life cycle and even more if transport to fillers is included.

Emsense is 100 percent recyclable and made of mono-material, which makes it easy to recycle. The new pot also has improved impact resistance, freeze resistance, and provides a lower environmental impact throughout the entire manufacturing process.

Emballator's product line Emsense is perfect for food products for the conscious consumer.

More volumes will be launched shortly.

Technical information

Name	Diameter [mm]	Bottom diameter [mm]	Height [mm]
Emsense 245 ml. ø93	93	77	53
Emsense 485 ml. ø122	122	106,3	56,4

Market segments



Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Emsense 245 ml. ø93



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Emsense 245 ml. ø93	93	77	53	8		IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Emsense ø93	91	3	53	51	245	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	12 096	1 300
Standard pallet for Lid in container	41 472	1 330



For more information and product data sheets, please scan this code or visit our website.

Emsense 485 ml. ø122



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Emsense 485 ml. ø122	122	106,3	56,4	12,6		IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Emsense ø122	120,5	6	56,8	54,8	484	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	7 056	1 300
Standard pallet for Lid in container	26 208	1 330



For more information and product data sheets,
please scan this code or visit our website.

Handy-Safe ø92



Handy-Safe is offering a wide selection of round pots with a practical seal. Handy-Safe is made in environmentally friendly polypropylene. Available in white colour or transparent.

- User friendly seal.
- Strong and rigid material.
- Stackable.

The pots are used for food and non-food products. Tubs and lids can be decorated (IML In-Mould Labelling / dry offset print).

Technical information

Name	Diameter [mm]	Bottom diameter [mm]	Height [mm]
Handy-Safe 150 ml. ø92	93	79	36,5
Handy-Safe 180 ml. ø92	93	75	44
Handy-Safe 250 ml. ø92	93	77	57
Handy-Safe 280 ml. ø92	93	75,9	64
Handy-Safe 370 ml. ø95	96	75	83
Handy-Safe 385 ml. ø92	93	75	83
Handy-Safe 420 ml. ø92	93	75,8	91,3
Handy-Safe 450 ml. ø92	93	75	97

Market segments



Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Handy-Safe 150 ml. ø92



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 150 ml. ø92	93	79	36,5	9,5		

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø92	92	4,5	37		140	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (12x)	9 216	1 680
Standard pallet for Lid in container (12x)	27 648	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 180 ml. ø92



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 180 ml. ø92	93	75	44,0	8,8	180	IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø92	92	4,5	44,5		180,0	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	9 024	1 680
Standard pallet for Lid in container (12x)	27 648	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 250 ml. ø92



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 250 ml. ø92	93	77	57	10,8		IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø92	92	4,5	57,4		240	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (12x)	11 232	1 680
Standard pallet for Lid in container (12x)	27 648	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 280 ml. ø92



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 280 ml. ø92	93	75,9	64	11,5		IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø92	92	4,5	64,4		275	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	8 640	2 040
Standard pallet for Lid in container (12x)	27 648	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 370 ml. ø92



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 370 ml. ø92	96	75	83	16,0		IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø92	92	4,5	84			IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	6 720	1 330
Standard pallet for Lid in container (12x)	36 864	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 385 ml. ø92



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 385 ml. ø92	93	75	83	15,6		IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø92	92	4,5	83,7		380	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	6 336	1 330
Standard pallet for Lid in container (12x)	27 648	1 330



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 420 ml. ø92



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 420 ml. ø92	93	75,8	91,3	19,8		OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø92	92	4,5	91,8		412	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	7 104	1 680
Standard pallet for Lid in container (12x)	27 648	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 450 ml. ø92



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 450 ml. ø92	93	75	97	20,7		OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø92	92	4,5	97,3		440	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	6 912	1 680
Standard pallet for Lid in container (12x)	27 648	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 520 ml. ø95



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 520 ml. ø95	96,3	73,3	118	20,5		IML (wrap and bottom)

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø95	92,5	4,5	118,5	112,5	517	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	6 336	1 301
Standard pallet for Lid in container (8x)	27 648	1 680



For more information and product data sheets,
please scan this code or visit our website.

Handy-Safe ø122



A product range with a unique design. Handy-Safe is made in environmentally friendly polypropylene. Available in white colour or transparent.

- User friendly seal.
- Strong and rigid material.
- Stackable.

The pots are used for food and non-food products. Tubs and lids can be decorated (IML In-Mould Labelling / dry offset print).

Technical information

Name	Diameter [mm]	Bottom diameter [mm]	Height [mm]
Handy-Safe 300 ml. ø122	122	108,9	44
Handy-Safe 330 ml. ø122	122	108	43,5
Handy-Safe 390 ml. ø122	122	108	50
Handy-Safe 500 ml. ø122	122	106,5	62,5
Handy-Safe 560 ml. ø122	122	106	69
Handy-Safe 650 ml. ø122	122	104	80
Handy-Safe 800 ml. ø122	122	102	97

Market segments



Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Handy-Safe 300 ml. ø122



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 300 ml. ø122	122	108,9	44	14,6		IML/OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø122	122	9	44,6		297	IML/OFFSET


Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	4 480	2 040
Standard pallet for Lid in container (12x)	13 440	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 330 ml. ø122



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 330 ml. ø122	122	108	43,5	13,8		IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø122	122	9	44		330	IML/OFFSET


Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	4 480	2 040
Standard pallet for Lid in container (12x)	13 440	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 390 ml. ø122



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 390 ml. ø122	122	108	50	15,2		IML/OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø122	122	9	50,5		394	IML/OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	4 480	2 040
Standard pallet for Lid in container (12x)	13 440	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 500 ml. ø122



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 500 ml. ø122	122	106,5	62,5	17,4	580	IML/OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø122	122	9	63	56	510	IML/OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	4 368	1 330
Standard pallet for Lid in container (12x)	13 440	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 560 ml. ø122



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 560 ml. ø122	122	106	69	20,1		IML/OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø122	122	9	69,9	132	560	IML/OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	4 368	2 040
Standard pallet for Lid in container (12x)	13 440	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 650 ml. ø122



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 650 ml. ø122	122	104	80	22		IML/OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø122	122	9	80,5		640	IML/OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	4 256	2 040
Standard pallet for Lid in container (12x)	13 440	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 800 ml. ø122



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 800 ml. ø122	122	102	97	30		IML/OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy ø122	122	9	97,4		792	IML/OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	3 248	2 040
Standard pallet for Lid in container (12x)	13 440	1 680



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe ø132



A product range with a unique design. Handy-Safe is made in environmentally friendly polypropylene.

Available in white colour or transparent.

- User friendly seal.
- Strong and rigid material.
- Stackable.

The pots are used for food and non-food products. Tubs and lids can be decorated (IML In-Mould Labelling / dry offset print).

Technical information

Name	Diameter [mm]	Bottom diameter [mm]	Height [mm]
Handy-Safe 500 ml. ø132	132,3	115	57
Handy-Safe 800 ml. ø132	132,3	105,7	89
Handy-Safe 1170 ml. ø132	132,4	106,0	128,1
Handy-Safe 1500 ml. ø132	132,4	108	160

Market segments



Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

Handy-Safe 500 ml. ø132



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 500 ml. ø132	132,3	115	57	22,7	590	

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy-Safe ø132	131,2	10,5	57,6	50,7	500	IML/OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container(8x)	3 744	1 330
Standard pallet for Lid in container(12x)	13 248	1 330



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 800 ml. ø132



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 800 ml. ø132	132,3	105,7	89	30,4	890	OFFSET

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy-Safe ø132	131,2	10,5	89,6	82,7	809	IML/OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	3 552	1 330
Standard pallet for Lid in container (12x)	13 248	1 330



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 1170 ml. ø132



Food

Technical information

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 1170 ml. ø132	132,1	103	128,1	35,4	1235	IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy-Safe ø132	131	10,5	128,7	121,8	1170	IML/OFFSET

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	3 264	1 330
Standard pallet for Lid in container (12x)	13 248	1 330



For more information and product data sheets, please scan this code or visit our website.

Handy-Safe 1500ml. ø132



Food

Pot

NAME	DIAMETER [mm]	BOTTOM DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]	DECORATION
Handy-Safe 1500 ml. ø132	132,4	108	160	51	1600	IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	STACK HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
Handy-Safe ø132	131,2	10,5	161		1520	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot in container (8x)	1 728	1 330
Standard pallet for Lid in container (12x)	13 248	1 330



For more information and product data sheets, please scan this code or visit our website.

BP1-serie 185x185 sq



BP1 serie is a squared pot suitable for food and non-food products. Detailed information is found under each products data sheet.

- Strong and stiff material.
- Offered in several different colors and material types such as freezable material.
- Stackable.
- FDA approved.

Technical information

Name	Dimension LxW [mm]	Bottom diameter [mm]	Height [mm]
BP 5800 ml. sq 185	185x185		190

Market segments



Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

BP1 5800 ml. sq. 185



Food

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]
BP1 5800 ml. sq. 185	185x185	190	138

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]
BP1 sq. 185	190x190	36

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	1 200	
Standard pallet for Lid in container (12x)	5 520	



For more information and product data sheets,
please scan this code or visit our website.

BP3-serie 245x185 rectangular



BP3 rectangular pot with seal to provide tamper evidence functionality suitable for cookies and confectionary but also for other food- and non-food products. Detailed information is found under each products data sheet.

- Strong and stiff material.
- Offered in several different colors and material types such as freezable material.
- Stackable.
- Air hole is offered as an add-on option

Technical information

Name	Dimension LxW [mm]	Bottom diameter [mm]	Height [mm]
BP3 1400 ml. rect.	245x185	46	62
BP3 2000 ml. rect	245x185	55	56
BP3 3000 ml. rect	245x185	80	70

Market segments




Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

BP3 1400 ml. rect. 245x185



Food

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]
BP3 1400 ml. rect.	245x185	46	62

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]
BP3 rect. 245x185	245x185	28

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	2 016	
Standard pallet for Lid in container (12x)	7 424	



For more information and product data sheets,
please scan this code or visit our website.

BP3 2000 ml. rect. 245x185



Food

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]
BP3 2000 ml. rect.	245x185	55	56

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]
BP3 rect. 245x185	245x185	28

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	2 016	
Standard pallet for Lid in container (12x)	7 424	



For more information and product data sheets,
please scan this code or visit our website.

BP3 3000 ml. rect. 245x185



Food

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]
BP3 3000 ml. rect.	245x185	80	64

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]
BP3 rect. 245x185	245x185	28

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	1 980	
Standard pallet for Lid in container (12x)	7 424	



For more information and product data sheets,
please scan this code or visit our website.

BP5-serie 185x125 rectangular



BP5 rectangular pot suitable for cookies and confectionary but also for other food- and non-food products. Detailed information is found under each products data sheet.

- Strong and stiff material.
- Offered in several different colors and material types such as freezable material.
- Two different lids are offered; straight or flip lid.
- Air hole is offered as an add-on option

Technical information

Name	Dimension LxW [mm]	Bottom diameter [mm]	Height [mm]
BP5 800 ml. rect. without tamper evidence	185x125	50	29
BP5 1300 ml. rect	185x125	75	38

Market segments



Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

BP5 800 ml. rect. 185x125



Food

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]
BP5 800 ml. rect. without tamper evidence	185x125	50	29

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]
BP5 rect. 185x125 flip lid	185x125	18
BP5 rect. 185x125	185x125	24

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	4 320	
Standard pallet for Lid in container (20x)	12 000	



For more information and product data sheets,
please scan this code or visit our website.

BP5 1300 ml. rect. 185x125



Food

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]
BP5 1300 ml. rect.	185x125	75	38

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]
BP5 rect. 185x125 flip lid	185x125	18
BP5 rect. 185x125	185x125	24

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	3 780	
Standard pallet for Lid in container (20x)	12 000	



For more information and product data sheets,
please scan this code or visit our website.

BP7-serie ø155 + ø180



BP7 is a round pot with seal to provide tamper evidence functionality suitable for cookies and confectionary but also for other food- and non-food products. Detailed information is found under each products data sheet.

- Easy and user-friendly seal to provide tamper evidence functionality.
- Strong and stiff material.
- Offered in several different colors and material types such as freezable material.

Technical information

Name	Diameter [mm]	Bottom diameter [mm]	Height [mm]
BP7 800 ml. ø155	155		60
BP7 1000 ml. ø180	180		55
BP7 1450 ml. ø180	180		76
BP7 2000 ml. ø180	180		110

Market segments



Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

BP7 800 ml. ø155



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	DECORATION
BP7 800 ml. ø155	155	60	26	

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	DECORATION
BP7 ø155	155	12	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	3 444	
Standard pallet for Lid in container (12x)	11 808	



For more information and product data sheets,
please scan this code or visit our website.

BP7 1000 ml. ø180



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	DECORATION
BP7 1000 ml. ø180	180	55	33	

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	DECORATION
BP7 ø180	180	18	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	2 280	
Standard pallet for Lid in container (12x)	5 400	



For more information and product data sheets,
please scan this code or visit our website.

BP7 1450 ml. ø180



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	DECORATION
BP7 1450 ml. ø180	180	76	40	IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	DECORATION
BP7 ø180	180	18	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	2 100	
Standard pallet for Lid in container (12x)	5 400	



For more information and product data sheets,
please scan this code or visit our website.

BP7 2000 ml. ø180



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	DECORATION
BP7 2000 ml. ø180	180	110	49	IML

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	DECORATION
BP7 ø180	180	18	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	2 040	
Standard pallet for Lid in container (12x)	5 400	



For more information and product data sheets,
please scan this code or visit our website.

BP8-serie 185x185



A squared pot suitable for cookies and confectionary but also other food and non-food products.

The packaging can be decorated with label on pot and IML on lid.

Detailed information is found under each products data sheet.

- Easy and user-friendly seal to provide tamper evidence functionality.
- Strong and stiff material.
- Offered in several different colors and material types such as freezable material.

Technical information

Name	Dimension LxW [mm]	Bottom diameter [mm]	Height [mm]
BP8 1500 ml. sq. 185	194,5x194,5		60
BP8 2000 ml. sq. 185	194,5x194,5		77
BP8 3000 ml. sq. 185	194,5x194,5		110

Market segments



Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

BP8 1500 ml. sq. 185



Food

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]
BP8 1500 ml. sq. 185	194,5x194,5	60	54

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]	DECORATION
BP8 sq. 185	190x190	30	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	1 680	
Standard pallet for Lid in container (12x)	6 000	



For more information and product data sheets,
please scan this code or visit our website.

BP8 2000 ml. sq. 185



Food

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]
BP8 2000 ml. sq. 185	194,5x194,5	77	60

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]	DECORATION
BP8 sq. 185	190x190	30	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	1 680	
Standard pallet for Lid in container (12x)	6 000	



For more information and product data sheets,
please scan this code or visit our website.

BP8 3000 ml. sq. 185



Food

Technical information

Pot

NAME	DIMENSION LxW [mm]	HEIGHT [mm]	WEIGHT [g]
BP8 3000 ml. sq. 185	194,5x194,5	110	84

Lid

NAME	DIMENSION LxW [mm]	WEIGHT [g]	DECORATION
BP8 sq. 185	190x190	30	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	1 440	
Standard pallet for Lid in container (12x)	6 000	



For more information and product data sheets,
please scan this code or visit our website.

BP9-serie 185x125 + 188x125



A product series with seal to provide tamper evidence functionality suitable for cookies and confectionary but also other food and non-food products. The packaging can be decorated with label or IML on lid.

Detailed information is found under each product data sheet.

- Easy and user-friendly seal to provide tamper evidence functionality.
- Strong and stiff material.
- Offered in several different colors and material types such as freezable material.
- Air hole is offered as an add-on option.

Technical information

Name	Dimension LxW [mm]	Bottom diameter [mm]	Height [mm]
BP9 650 ml. rect.	185x125		47
BP9 1100 ml. rect.	185x125		77
BP9 1200 ml. rect.	188x125		60
BP9 1400 ml. rect.	188x125		75

Market segments



Food

For more info see our Guidelines available at our Website

Produced according to GMP and manufacturing certified according to ISO 9001, 14001 and 22000.

BP9 650 ml. rect.



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]	VOLUME BRIMFUL [ml]
BP9 650 ml. rect.	185x125	47	22,8	745

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	HEIGHT MOUNTED [mm]	VOLUME UNDER LID [ml]	DECORATION
BP9 rect. 185x125	185x125	10,9	47,6	650	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	3 675	2 100
Standard pallet for Lid in container (20x)	18 000	2 100



For more information and product data sheets,
please scan this code or visit our website.

BP9 1100 ml. rect.



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]
BP9 1100 ml. rect.	185x125	77	31

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	DECORATION
BP9 rect. 185x125	185x125	12	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	3 456	
Standard pallet for Lid in container (12x)	18 000	



For more information and product data sheets,
please scan this code or visit our website.

BP9 1200 ml. rect.



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]
BP9 1200 ml. rect.	188x125	60	33

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	DECORATION
BP9 rect. 188x125	188x125	16	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	4 320	
Standard pallet for Lid in container (12x)	12 960	



For more information and product data sheets,
please scan this code or visit our website.

BP9 1400 ml. rect.



Food

Technical information

Pot

NAME	DIAMETER [mm]	HEIGHT [mm]	WEIGHT [g]
BP9 1400 ml. rect.	188x125	75	38

Lid

NAME	DIAMETER [mm]	WEIGHT [g]	DECORATION
BP9 rect. 188x125	188x125	16	IML

Delivery

DELIVERY PACKAGING	QUANTITY [pcs]	DEL. HEIGHT [mm]
Standard pallet for Pot	4 320	
Standard pallet for Lid in container (12x)	12 960	



For more information and product data sheets,
please scan this code or visit our website.